




















ELECTRIC HAMMER PERCUSSIVE STEELS

www.cormacequipment.com

contents

Detail /Shank type	Shank Sketch	Page	Detail /Shank type	Shank Sketch	Page
SDS Max		7	P28 P28S		17
SDS Plus		9	PK45		17
K900		10	PK100		17
Kango 2500 32mm hex		12	PH65		18
B11304 Without Collar		13	MAKITA HM8900		19
B11304 With Collar		14	MAKITA HM8035		20
Spline		15	HILTI TE905		21
B11302		16	Accessories		22
VR38		19			

Hammer Cross Reference Guide





Hammer Manufacturer	Shank Type	To suit Hammer Model						Page
AEG	SDS Max	KH5E	PN11E	MH5E	PM 10E			7-8
Atlas Copco	Spline	PH26	PHD26	PH38	PHD38			15
	Spline	PH240	PH240D	PH350	PH350D			15
	SDS Max	PH55						7-8
	K900	PB10C	PB14C	PH11C				10-11
	Spline	PH5H	PH11H	PB10H				15
	B11302	PB14D						16
	B11304	PB32B						13-14
	HM8035	PH5F						20
Bosch	SDS Plus	GSH3E	GBH2-18RE	GBH2-23RE	GBH2-26DRE			9
	SDS Plus	GBH3-28FE						9
	SDS Max	GBH5	GBH5CE -38D	GBH5/40DCE	GBH8DCE			7-8
	SDS Max	GBH10/DC	GBH38	GSH4	GSH10C			7-8
	SDS Max	GBH11DE	GSH388	GBH7-46DE				7-8
	Spline	11202	11203	11204	11205			15
	Spline	11206	11207	11209	11214.7			15
	Spline	11212	11306					15
	Spline	GBH7.45D	GBH7.75DE	UBH6.35	UBH6.35D			15
	Spline	UBH10.5	UBH12.50	USH6				15
	B11302	11302	11305	12312	USH10			16
	B11304	11304	11308	12308	12314			13-14
	B11304	GSH27	HSH27	HSH28	USH27	GHS-30		13-14
Black & Becker	SDS Plus	KD 970K	KD970KA	KD970K	D980KA			9
	Spline	5041	5042	5043	5044			15
	Spline	HD2022	HD2023	HD2038	P8022			15
	Spline	P8032	P8038					15
De Walt	SDS Plus	D2531K	D25113K	D25113C	D25213K			9
	SDS Plus	D25313K	D25314K	D25315K	D2540K			9
	SDS Max	D25730K	D25330K	D25830K	D25840K			7-8
	SDS Max	D25500K	D25600K	D25700K	D25701K			7-8
	SDS Max	DW540K	DW541K	DW543K	DW545K			7-8
	B11302	D25941K	D25940K					
Duss	SDS Max	PX48	PX76	PX96				7-8
	PK100	P36	P50	P60	P90	PK100	PO32	17
	PK45	PK40	PK45					17
	PK150	PK150						17
Elu	SDS Max	BH40/41EK	VH45/46EK	SH50EK				7-8
	Spline	BH41K	BH41EK	BH46EK				15
	B11302	SH60K						16
Hilti	SDS Plus	TE7-C	TE16-C	TE40-AVR	TE106			9
	SDS Max	TE56	TE76P	TE500-AVR	TE706-AVR			7-8
	SDS Max	TE42	TE52	TE54	TE72			7-8
	SDS Max	TE74	TE92	TE504				7-8
	TE905	TE805	TE905					
Hitachi	SDS Plus	H25PV						9
	SDS Max	DH45MR	DH50MR	H45MR	DH40MR			7-8
	SDS Max	DH50MRY	H45MRY	H60MRV				7-8
	K900	DH50SA	DH50SAI	H55SA	H60KA			10-11
	Spline	DH38YA	DH38YF	DH40FA/FB	DH50SB			15
	VRY38	DH28Y	DH38	DH38YB	DH38YB1			19
	VRY38	H41SA	H45SA	PH40F	PHU45			19
	VRY38	VRY38	VRY38YB					19
	B11304	H65SD2	H70SD					13-14
	PH65	H65SB	PH65A					18

Hammer Cross Reference Guide





Hammer Manufacturer	Shank Type	To suit Hammer Model						Page
Milwaukee	SDS Plus	PPH24X2E	PFH25QEX	PLH26QEX	PLH30QEX			9
	SDS Plus	PLH32QEX	PPH26XE	PPH30X2E				9
Kango	SDS Max	K900S	K545S					7-8
	K900	900	900X	928	950			10-11
	K900	950K	950X	1400				10-11
	Spline	430S	501S	637S	750S			15
	Spline	950KS	950S	950XS	978S			15
	Spline	5343	5344	5347	5348			15
	B11302	638S	900B	900KS	900S	900XS	1400B	16
	32mm Hex	2500						12
Makita	SDS Max	HM0860C	HM1100C	HM1202				7-8
	K900	HM1200K	HR3850K	HR5000K				10-11
	Spline	HM0810B	HR3520B	HR3850B	HR5000			15
	B11302	HM1200B						16
	B11304	HM1500B	HM1800					13-14
	HM8035	8035NB	HM0810	HM0810T	HR3500			20
	HM8035	HR3520	HR3850					20
	HM8900	8900N	HM1300	HM1400	HM1500			19
Metabo	SDS Plus	KHE 26	KHE 28	KHE 32	KHE24SP			9
	SDS Plus	UHE 28						9
	SDS Max	BH6045S	KHE 56	KHE96	MHE 56/96			7-8
	Spline	11285	11295	11305	11315			15
	Spline	BHE6030S	RH66	RH99	RH99X			15
Outifi x	Spline	OX260	OX360					15
Peugeot	Spline	PM26	PM38					15
Ryobi	Spline	ED350K	ED382P	ER382				15
	VRY38	CH450PK	CH460PK	CH500K	CH500P			19
	VRY38	ER382K						19
	K900	CH485PK						10-11
	HM1200	CH485						
Spit	SDS Max	355	385	455				7-8
	Spline	345	375	400S				15
	B11302	400						16
Wacker	SDS Max	EBH-75M						7-8
	Spline	11/110						15

Every effort has been made to ensure the accuracy of this cross reference guide however Standall Tools Ltd accept no responsibility for error or omissions







SDS Max

	Description	Working Width mm	Overall Length mm	Part Number
	Moil Point	–	300	914900
	Moil Point	–	350	914901
	Moil Point	–	400	914903
	Moil Point	–	450	914904
	Moil Point	–	500	914902
	Moil Point	–	600	914905
	Narrow Chisel	–	300	914910
	Narrow Chisel	–	350	914911
	Narrow Chisel	–	400	914913
	Narrow Chisel	–	450	914914
	Narrow Chisel	–	500	914912
	Narrow Chisel	–	600	914915
	Chasing Gouge	25	300	914980
	Chasing Gouge	30	300	914981
	Comb Holder	–	300	914941
	Comb Chisel	32	300	914942*
	Scaling Chisel	50	300	914924
	Scaling Chisel	50	400	914925
	Scaling Chisel	80	300	914935
	Scaling Chisel (cranked)	50	300	914926






SDS Max

	Description	Working Width mm	Overall Length mm	Part Number
	Stem (for use with Floor Cleaning Tool)	–	300	914977
	Stem (for use with stone dressing pad)	–	275	914931
	Bushing Tool	44 Square	250	914990*
	Asphalt Cutter	125	450	914986*
	Digging Chisel	75	380	914945*
	Clayspade	100	450	914985
	Electrode Drivers	16 i/d	240	914960*
	Electrode Drivers	19 i/d	240	914961*
	Electrode Drivers	22 i/d	240	914962*
	Electrode Drivers	25 i/d	240	914963*
	Electrode Drivers	38 i/d	240	914966*



SDS Plus

	Description	Working Width mm	Overall Length mm	Part Number
	Moil Point	–	250	914814
	Narrow Chisel	–	250	914824
	Chasing Gouge	22	250	914854
	Scaling Chisel	40	250	914844
	Scaling Chisel (Cranked)	40	250	914894
	Scaling Chisel	75	165	914846
	Scaling Chisel (Cranked)	75	165	914847






Kango 900 928 950 1400 Type Shank

	Description	Working Width mm	Overall Length mm	Part Number
	Moil Point	–	300	914111
	Moil Point	–	380	914112
	Moil Point	–	450	914113
	Moil Point	–	600	914213
	Narrow Chisel	–	300	914117
	Narrow Chisel	–	380	914118
	Narrow Chisel	–	450	914119
	Narrow Chisel	–	600	914219
	Chasing Gouge	22	300	914473
	Comb Holder	22	300	914474
	Scaling Chisel	50	300	914475
	Scaling Chisel	50	450	914495
	Scaling Chisel	75	300	914476
	Scaling Chisel	75	450	914496
	Scaling Chisel (Cranked)	50	300	914375
	Scaling Chisel (Cranked)	75	300	914376
	Stem	–	275	914483
	Stem	–	275 (free turning)	914283*
For use with Floor Cleaning Tool				










Kango 900 928 950 1400 Type Shank

	Description	Working Width mm	Overall Length mm	Part Number
	Stem (for use with stone dressing pad)	–	275	914280
	Bushing Tool	44mm Square	250	914492*
	Clayspade	100	450	914481
	Electrode Drivers	16 i/d	240 (free turning)	944946*
	Electrode Drivers	19 i/d	240 (free turning)	944947*
	Electrode Drivers	22 i/d	240 (free turning)	944958*
	Electrode Drivers	25 i/d	240 (free turning)	944948*
	Electrode Drivers	38 i/d	240 (free turning)	944959*










Kango 2500 - 32mm Hex Shank

	Description	Working Width mm	Length Under Collar mm	Part Number
	Moil Point	–	380	912083
	Moil Point	–	450	912084
	Narrow Chisel	–	380	912293
	Narrow Chisel	–	450	912294
	Wide Chisel	75	380	912450
	Asphalt Cutter	125	330	912454
	Tarmac Cutter	115	280	912555
	Digging Chisel	75	280	912456
	Electrode Driver	25id	370	914970*









Bosch : 11304 12314 USH27

	Description	Working Width mm	Overall Length mm	Part Number
	Moil Point	–	380	914610
	Moil Point	–	450	914611
	Narrow Chisel	–	380	914620
	Narrow Chisel	–	450	914621
	Broad Chisel	75	380	914642
	Asphalt Cutter	125	380	914647
	Tarmac Cutter	115	380	914650
	Digging Chisel	75	450	914655
	Digging Spade	125	430	914657
	Clayspade	125	430	914660
	Frost Wedge	50	480	914692
	Stem (large taper)	–	380	914690









Bosch : 11304 12314 USH27 With Collar

	Description	Working Width mm	Overall Length mm	Part Number
	Moil Point	–	450	934611
	Moil Point	–	500	934612
	Narrow Chisel	–	450	934621
	Narrow Chisel	–	500	934622
	Broad Chisel	75	400	934642
	Asphalt Cutter	125	500	934647
	Tarmac Cutter	115	500	934650
	Digging Chisel	75	500	934655
	Digging Spade	125	500	934657
	Clayspade	125	500	934660
	Frost Wedge	50	480	934692
	Stem (large taper)	–	380	934690



Bosch: 11203 11204 11205 11209 11306 11214.7

	Description	Working Width mm	Overall Length mm	Part Number
	Moil Point	–	300	914745
	Moil Point	–	380	914755
	Moil Point	–	450	914760
	Narrow Chisel	–	300	914746
	Narrow Chisel	–	380	914756
	Narrow Chisel	–	450	914761
	Chasing Gouge	22	300	914744*
	Chasing Gouge	33	250	914747*
	Comb Holder		300	914751*
	Wide Chisel	50	300	914748
	Wide Chisel	75	300	914753
	Stem (for use with Floor Cleaning Tool and pad)	–	300	914455*
	Stem (for use with stone dressing pad)	–	275	914750*
	Bushings Tool	44 Square	250	914795*
	Digging Spade	120	450	914795*
	Digging Chisel	75	380	914762*
	Clayspade	100	450	914785*



Bosch: 11302 11305 12312 USH10

	Description	Working Width mm	Overall Length mm	Part Number
	Moil Point	–	300	914695
	Moil Point	–	380	914735
	Moil Point	–	450	914740
	Moil Point	–	600	914763
	Narrow Chisel	–	300	914696
	Narrow Chisel	–	380	914736
	Narrow Chisel	–	450	914741
	Narrow Chisel	–	600	914764
	Chasing Gouge	25	300	914697*
	Comb Holder	–	300	914700*
	Wide Chisel	38	300	914694
	Wide Chisel	75	300	914701
	Stem (for use with Floor Cleaning Tool and pad)	–	300	914723
	Stem (for use with stone dressing pad)	–	275	914715*
	Bushings Tool	44 Square	250	914739*
	Digging Spade	120	450	914716*
	Digging Chisel	75	380	914705*
	Clayspade	100	450	914706*


Duss P28 P28S

	Description	Working Width mm	Overall Length mm	Part Number
	Moil Point	–	340	914612*
	Narrow Chisel	–	340	914622*
	Scaling Chisel	22	340	914652*






Duss PK45

	Description	Working Width mm	Overall Length mm	Order Number
	Moil Point	–	400	914628*
	Narrow Chisel	–	400	914638*
	Scaling Chisel	50	400	914648*



Duss PK100

	Description	Working Width mm	Overall Length mm	Order Number
	Moil Point	–	420	914613*
	Narrow Chisel	–	420	914623*
	Scaling Chisel	50	420	914643*





Hitachi PH65A (Blade in Line with Slot)

	Description	Working Width mm	Overall Length mm	Part Number
	Moil Point	–	300	914614
	Moil Point	–	450	914615
	Narrow Chisel	–	410	914624
	Narrow Chisel	–	450	914625
	Wide Chisel	75	400	914632
	Digging Chisel	75	500	914634*
	Digging Spade	120	500	914637*
	Clayspade	100	450	914633*
	Clayspade	135	450	914635*






Hitachi VRY38 DH28Y VRY38YB PHU45

	Description	Working Width mm	Overall Length mm	Part Number
	Moil Point	–	380	914781
	Moil Point	–	450	914782
	Narrow Chisel	–	380	914791
	Narrow Chisel	–	450	914792
	Scaling Chisel	50	280	914801







Makita 8900N HM1300 HM1400 (Blade is 90 Degrees to Slot)

	Description	Working Width mm	Overall Length mm	Part Number
	Moil Point	–	410	914614
	Moil Point	–	450	914615
	Narrow Chisel	–	410	984624
	Narrow Chisel	–	450	984625
	Wide Chisel	75	400	984632
	Digging Chisel	75	500	984634
	Digging Spade	120	500	984637
	Clayspade	100	450	984633
	Clayspade	135	450	984635
				





Makita 8035NB HR3500 HM0810

	Description	Working Width mm	Overall Length mm	Part Number
	Moil Point	–	280	914783
	Moil Point	–	450	914784
	Narrow Chisel	–	280	914793
	Narrow Chisel	–	450	914794
	Casing Gouge	22	250	914813*
	Scaling Chisel	50	280	914803
	Scaling Chisel	75	300	914804
	Stem (to suit Floor Cleaning Tool)	–	300	914892*
	Clayspade	100	450	914797*

Hilti TE 805 / 905

	Description	Working Width mm	Overall Length mm	Part Number
	Moil Point	–	360	914972
	Moil point	–	500	914974
	Narrow Chisel	–	360	914982
	Narrow Chisel	–	500	914984
	Scaling Chisel	50	360	914992
	Scaling Chisel	50	500	914994
	Scaling Chisel	75	360	914995
	Scaling Chisel	75	500	914996
	Digging Chisel	75	380	914997
	Digging Spade	–	120	914999
	Stem (for use with Floor Cleaning Tool)	–	300	100514
	Clayspade	100	450	914993

Accessories

	Description	Part Number
Stone Dressing Pad (to suit all stone dressing stems)		
 	9 Point Pad - All Steel	914106
	9 Point Pad - Tungsten Carbide	914107
Scutch Combs (to suit all combholders)		
	38mm Wide	914485
	50mm Wide	914488
Concrete Cutter (to suit all combholders)		
	38mm Wide	914480
	50mm Wide	914490
Floor Scraping Tool (to suit stems designated for use with Floor Cleaning Tools)		
	Complete with 2mm thick scraper blade	100134
	Replacement scraper blade 2mm thick	100156
	Replacement Bolts Nuts & Gasket Set	100134RK
Tamping Pads (to Suit stems designated for use with Floor Cleaning Tools)		
	100mm Dia Tamping Pad	100563
	125x150mm Tamping	100521
Tamping Pads (to Suit stems designated for use with Bosch 11304 USH 27 Breakers)		
	180mm Dia Tamping Pad	912904
	125mm Dia Tamping Pad	912906



CORMAC, INC Construction Equipment • 6591 NW 82 Avenue, Miami, FL 33166
Phones: 305-477-5494 - 305-477-6922 • Fax: 305-477-4899 • info@cormacequipment.com

www.cormacequipment.com