



ELECTRIC HAMMER DRILLING ACCESSORIES

Wood Auger Drill Bits Hex Shank

	Bit Dia mm	Flute Length mm	Overall Length	Shank Type & Size	Part Number	
	6	150	230	7mm Hex	6713	
	8	150	230	7mm Hex	6714	
	10	150	230	7mm Hex	6715	
	12	150	230	7mm Hex	6716	
	14	150	230	9mm Hex	6717	
	16	150	230	9mm Hex	6718	
	18	150	230	9mm Hex	6746	
	19	150	230	9mm Hex	6747	
	20	150	230	11mm Hex	6719	
	22	150	230	11mm Hex	6720	
	24	150	230	11mm Hex	6725	
	25	150	230	11mm Hex	6721	
	26	150	230	11mm Hex	6726	
	28	150	230	11mm Hex	6722	
	30	150	230	11mm Hex	6724	
	32	150	230	11mm Hex	6723	

Wood Auger Drill Bits SDS Plus Shank

	Bit Dia mm	Flute Length mm	Overall Length	Shank Type & Size	Standall Part Number	
	6	125	205	SDS Plus	6750	
	8	125	205	SDS Plus	6751	
	10	125	205	SDS Plus	6752	
	12	125	205	SDS Plus	6753	
	16	125	205	SDS Plus	6755	
	18	125	205	SDS Plus	6754	
	19	125	205	SDS Plus	6754A	
	20	125	205	SDS Plus	6756	
	22	125	205	SDS Plus	6757	
	25	125	205	SDS Plus	6758	
	32	125	205	SDS Plus	6759	

Flat Wood Bits

	Bit Dia mm	Wallet Pack Qty	Standall Part Number	Bit Dia mm	Wallet Pack Qty	Standall Part Number	
	6	1	1401	22	1	1411	
	8	1	1402	24	1	1412	
	10	1	1403	25	1	1413	
	12	1	1404	26	1	1414	
	13	1	1405	28	1	1415	
	14	1	1406	30	1	1416	
	16	1	1407	32	1	1417	
	18	1	1408	35	1	1419	
	19	1	1409	38	1	1421	
	20	1	1410				

Rotary Impact Masonry Drills Din 8035


	Ref	Dia mm	Length mm	Order Number	Ref	Dia mm	Length mm	Part No
 Masonry Drills are individually walletted	6	4	75	0302	20E	10	200	0322
	8	5	85	0305	20L	10	300	0323
	8M	5	150	0306	20EL	10	400	0324
	10	5.5	100	0307	22	11	150	0325
	10M	5.5	150	0308	23	12	150	0327
	11	6	100	0309	23L	12	300	0328
	11M	6	150	0310	20EL	12	400	0329
	12	6.5	100	0311	24	13	150	0330
	12M	6.5	150	0312	24L	13	300	0331
	14	7	100	0314	24EL	13	400	0332
	14M	7	150	0315	25	14	150	0333
	16	8	120	0316	26	16	150	0338
	16E	8	200	0317	26L	16	300	0339
	16L	8	300	0318	26EL	16	400	0340
	18	9	120	0319	27	18	150	0341
	20	10	120	0321	28	20	160	0344

HSS Twist Drills Metric Size

HSS Twist Drills Imperial Size

	Bit Dia mm	Bulk Pack Quantity	Bulk Pack Order Number	Single Unit Wallet	Single Pack Part Number	Bit Dia Inches	Bulk Pack Quantity	Bulk Pack Order Number	Single Unit Wallet	Single Pack Part Number
 Din 338 Standard Type Roll Forged H S S Jobber Drills Bulk packed are supplied in paper wallets and individual packed products are in plastic wallets	1.00	10	1510	1	—	1/16	10	1058	1	1019
	1.50	10	1040	1	1001	5/64	10	1059	1	1020
	2.00	10	1041	1	1002	3/32	10	1060	1	1021
	2.50	10	1042	1	1003	7/64	10	1061	1	1022
	3.00	10	1043	1	1004	1/8	10	1062	1	1023
	3.50	10	1044	1	1005	9/64	10	1063	1	1024
	4.00	10	1045	1	1006	5/32	10	1064	1	1025
	4.50	10	1046	1	1007	11/64	10	1065	1	1026
	5.00	10	1047	1	1008	3/16	10	1066	1	1027
	5.50	10	1048	1	1009	13/64	10	1067	1	1028
	6.00	10	1049	1	1010	7/32	10	1068	1	1029
	6.50	10	1050	1	1011	15/64	10	1069	1	1030
	7.00	10	1051	1	1012	1/4	10	1070	1	1031
	7.50	10	1052	1	1013	17/64	10	1071	1	1032
	8.00	10	1053	1	1014	9/32	10	1072	1	1033
	8.50	10	1054	1	1015	19/64	10	1073	1	1034
	9.00	10	1055	1	1016	5/16	10	1074	1	1035
	9.50	10	1056	1	1017	21/64	10	1075	1	1036
	10.00	10	1057	1	1018	11/32	10	1076	1	1037
	10.50	5	1520	1	1540	23/64	10	1077	1	1038
	11.00	5	1521	1	1541	3/8	10	1078	1	1039
	11.50	5	1522	1	1542	25/64	5	1079	1	1529
	12.00	5	1523	1	1543	13/32	5	1080	1	1530
	12.50	5	1524	1	1544	27/64	5	1081	1	1532
	13.00	5	1525	1	1546	7/16	5	1082	1	1533
						29/64	5	1083	1	1534
						15/32	5	1084	1	1535
						31/64	5	1085	1	1536
						1/2	5	1086	1	1539

Bi-Metal Hole Saws

	Description	Use Abour Number	Order Number	Description	Use Abour Number	Part Number
	14mm Dia	A1	HS014C	60mm Dia	A2	HS060C
	16mm Dia	A1	HS016C	64mm Dia	A2	HS064C
	17mm Dia	A1	HS017C	65mm Dia	A2	HS065C
	19mm Dia	A1	HS019C	67mm Dia	A2	HS067C
	20mm Dia	A1	HS020C	70mm Dia	A2	HS070C
	21mm Dia	A1	HS021C	73mm Dia	A2	HS073C
	22mm Dia	A1	HS022C	76mm Dia	A2	HS076C
	24mm Dia	A1	HS024C	79mm Dia	A2	HS079C
	25mm Dia	A1	HS025C	83mm Dia	A2	HS083C
	27mm Dia	A1	HS027C	86mm Dia	A2	HS086C
	29mm Dia	A1	HS029C	89mm Dia	A2	HS089C
	30mm Dia	A1	HS030C	92mm Dia	A2	HS092C
	32mm Dia	A2	HS032C	95mm Dia	A2	HS095C
	33mm Dia	A2	HS033C	98mm Dia	A2	HS098C
	35mm Dia	A2	HS035C	102mm Dia	A2	HS102C
	37mm Dia	A2	HS037C	105mm Dia	A2	HS105C
	38mm Dia	A2	HS038C	108mm Dia	A2	HS108C
	40mm Dia	A2	HS040C	111mm Dia	A2	HS111C
	41mm Dia	A2	HS041C	114mm Dia	A2	HS114C
	43mm Dia	A2	HS043C	121mm Dia	A2	HS121C
	44mm Dia	A2	HS044C	127mm Dia	A2	HS127C
	46mm Dia	A2	HS046C	140mm Dia	A2	HS140C
	48mm Dia	A2	HS048C	146mm Dia	A2	HS146C
	51mm Dia	A2	HS051C	152mm Dia	A2	HS152C
	52mm Dia	A2	HS052C	Hole Saw Arbor		A1C
	54mm Dia	A2	HS054C	14-30mm A1		
	57mm Dia	A2	HS057C	Hole Saw Arbor		A2C
	59mm Dia	A2	HS059C	32-152mm A2		
				Pilot Drill P1		P1


SDS Max Spiral Drills (manufactured under license from Bosch)

	Dia mm	Overall Length	Working Length	Description	Part Number	
	12	340	200	Single Chisel	MX12x340	
	12	540	400	Single Chisel	Mx12x540	
	12	690	550	Single Chisel	MX12X690*	
	14	340	200	Single Chisel	MX14X340	
	14	540	400	Single Chisel	MX14X540	
	15	340	200	Single Chisel	MX15X340	
	15	540	400	Single Chisel	MX15X540	
	16	340	200	Cross Head	MX16X340	
	16	540	400	Cross Head	MX16X540	
	18	340	200	Cross Head	MX18X340	
	18	540	400	Cross Head	MX18X540	
	20	1320	1200	Single Chisel	MX20X1320*	
	20	320	200	Cross Head	MX20X320*	
	20	520	400	Cross Head	MX20X520	
	20	920	800	Cross Head	MX20X920	
	22	1320	1200	Single Chisel	MX22X1320*	
	22	320	200 a	Cross Head	MX22X320*	
	22	520	400	Cross Head	MX22X520	
	22	920	800	Cross Head	MX22X920	
	24	320	200	Cross Head	MX24X320	
	24	520	400	Cross Head	MX24X520	
	25	1320	1200	Single Chisel	MX25X1320*	
	25	320	200	Cross Head	MX25X320	
	25	520	400	Cross Head	MX25X520	
	25	920	800	Cross Head	MX25X920	
	26	520	400	Cross Head	MX26X520	
	28	370	250	Cross Head	MX28X370	
	28	570	450	Cross Head	MX28X570	
	28	670	550	Cross Head	MX28X670*	
	30	370	250	Cross Head	MX30X370	
	30	570	450	Cross Head	MX30X570	
	32	1320	1200	Single Chisel	MX32X1320*	
	32	370	250	Cross Head	MX32X370	
	32	570	450	Cross Head	MX32X570	
	32	920	800	Cross Head	MX32X920	
	35	370	250	Cross Head	MX35X370*	
	35	570	450	Cross Head	MX35X570	
	35	670	550	Cross Head	MX35X670*	
	37	570	450	Cross Head	MX37X570*	
	37	920	800	Cross Head	MX37X920*	
	38	370	250	Cross Head	MX38X370*	
	38	570	450	Cross Head	MX38X570	
	40	370	250	Cross Head	MX40X370*	
	40	570	450	Cross Head	MX40X570	
	40	920	800	Cross Head	MX40X920	
	45	570	450	Cross Head	MX45X570*	
	52	570	450	Cross Head	MX52X570*	

SDS Plus Spiral Drills (single chisel)

	Dia mm	Overall Length	Working Length	Standall Part No	Dia mm	Overall Length	Working Length	Part No
	4	160	100	3224	14	160	100	3256
	5	110	50	3225	14	210	150	3257
	5	160	100	3512	14	260	200	3258
	5	210	150	3223	14	310	250	3259
	5.5	110	50	3227	14	450	400	3260
	5.5	160	100	3228	14	600	550	3261
	5.5	210	150	3288	14	1000	950	6374
	5.5	260	200	3281	15	160	110	3262
	6	110	50	3229	15	200	140	3222
	6	160	100	3230	15	250	200	3263
	6.5	110	50	3231	15	450	400	3264
	6.5	160	100	3232	16	160	160	6387
	6.5	210	150	6320	16	210	160	6389
	6.5	260	200	6322	16	250	200	3265
	7	110	50	3233	16	300	250	3266
	7	160	100	3234	16	450	400	3267
	7	210	150	3289	16	600	550	3268
	8	110	50	3235	16	800	750	3269
	8	160	100	3236	16	1000	950	6384
	8	210	150	3237	17	200	150	3270
	8	260	200	3238	18	200	150	6390
	8	450	400	6330	18	250	200	3271
	9	160	100	3218	19	200	150	3273
	9	210	150	3239	19	450	400	3274
	10	110	50	3240	20	200	150	3275
	10	160	100	3241	20	300	250	3276
	10	210	150	3242	20	450	400	3277
	10	260	200	3243	20	600	550	3280
	10	310	250	6340	20	1000	950	6409
	10	360	300	3244	22	250	200	3278
	10	450	400	3245	22	450	400	3279
	10	600	550	6343	22	600	550	6318
	10	1000	950	6344	22	1000	950	3294
	11	160	100	3246	23	250	200	3295
	11	210	150	3221	23	450	400	3296
	11	260	200	3220	24	250	200	3282
	11	310	260	3247	24	450	400	3283
	12	160	100	3248	25	250	200	3284
	12	210	150	3249	25	450	400	3285
	12	260	200	6354	25	600	550	3297
	12	310	250	3250	25	1000	950	3294
	12	450	400	3251	26	250	200	3299
	12	600	550	3252	26	450	400	3287
	12	1000	950	6359	26	600	550	3217
	13	160	100	3253	28	450	400	3292
	13	210	160	6361	30	450	400	3293
	13	250	200	6362				
	13	310	250	3254				
	13	450	400	3255				


Integral Shank for Core Drills

	Length o/a	Shank Type	Part Number
	250	SDS Max	4545
	400	SDS Max	4546
	310	Kango 950	4514
	450	Kango 950	4515
	180	Bosch Spline	4516*
	250	Bosch Spline	4517*
	400	Bosch Spline	4518*
	120	1/2 Hex	4519*
	250	1/2" Hex	4520*
	400	1/2" Hex	4521*


Extension Rods for Core Drills

	Length o/a	Standall Part Number	
	250mm K Taper	4502	
	400mm K Taper	4505	


Pilot Drill & Drift Keys for Core Drill Componrnnts

	Length o/a	Standall Part Number	
	Drift Key	4503	
	11mmx125mm Pilot Drill	3338	


Heavy Duty Tungsten Carbide Core Shell Complete With 120mm Adaptor, Drift and 11mm Dia Pilot Drill

	Bit Dia	Order Number	Bit Dia	Part Number
	30	3301	76	3308
	35	3302	80	3309
	40	3303	90	3310
	45	3304	100	3311
	50	3305	115	3313
	55	3306	125	3312
	60	3306A	150	3315
	65	3307		

Heavy Duty Tungsten Carbide Core Shell Only

	Bit Dia	Order Number	Bit Dia	Standall Part Number
	30	3321	76	3328
	35	3322	80	3329
	40	3323	90	3330
	45	3324	100	3331
	50	3325	115	3333
	55	3326	125	3332
	60	3326A	150	3335
	65	3327		





Core Drill Adaptors

	Length o/a	Standall Part Number		
	120	4530		
	250	4531		
	400	4532		

Shank Adaptor to K taper

	Length o/a	Standall Part Number		
	Bosch	Spline Drive	3102	
	Kango	950 /978 /750	3109	
	SDS	Plus All	3291	
	SDS Max	All	5612	

contents

Type of Tool /Shank type	Tool Type	Page
Core Drill Complete with Pilot Drill Core Adaptor & Drift Core Drill Shells Only		3
Core Drill Adaptors		3
Core Drill Integral Shanks		4
Extension Rods for Core Drills		4
Shank Adaptors For K Taper & Core Drill Adaptors		3
SDS Plus Spiral Drills		5
SDS Max Spiral Drills		6
Rotary Impact Masonry Drills		7
HSS Drills		7
Wood Augers & Flat Drills		8
Hole Saws and Arbours		9



CORMAC, INC Construction Equipment • 6591 NW 82 Avenue, Miami, FL 33166
Phones: 305-477-5494 - 305-477-6922 • Fax: 305-477-4899 • info@cormacequipment.com

www.cormacequipment.com