



PNEUMATIC TOOL ACCESSORIES














www.cormacequipment.com

contents









Detail & Shank type	Shank Sketch*	Page	Detail & Shank type	Shank Sketch*	Page
19 x 50mm Hexagon Shank 32mm Diameter Collar		5	23 x 50mm Round Shank 38 mm Diameter Collar		17
19 x 50mm Hexagon Shank 30mm Diameter Collar		5	23 x 70mm Round Shank 37 mm Diameter Collar		17
19 x 82mm Hexagon Shank 33mm Diameter Collar		5	25 x 75mm Round Shank 41 mm Diameter Collar		17
22 x 82mm Hexagon Shank 41mm Diameter Collar		6	26 x 70mm Round Shank 39.5 mm Diameter Collar		18
22 x 108mm Hexagon Shank 41mm Diameter Collar		8	26 x 80mm Round Shank 40 mm Diameter Collar		18
25 x 108mm Hexagon Shank 41mm Diameter Collar		9	19 x 82mm Square Shank 38 mm Diameter Collar		19
28 x 160mm Hexagon Shank 46mm Diameter Collar		11	19 x 95mm Round Shank CP9		19
28 x 152mm Hexagon Shank 46mm Diameter Collar		11	15 x 90mm Round Shank CP9F		20
32 x 160mm Hexagon Shank 46mm Diameter Collar		14	17 x 12mm Hump Shank 30mm Diameter Collar ML33		20
32 x 152mm Hexagon Shank 46mm Diameter Collar		14	17 x 14mm Hump Shank 34mm Diameter Collar M37B		20
22 x 70mm Round Shank 36mm Diameter Collar		17	Shankless 35mm Diameter Collar Hausher R		20

Detail & Shank type	Shank Sketch*	Page	Detail & Shank type	Shank Sketch*	Page
12.4 hex 14.8 rnd x 55mm Shank 27mm Diameter Collar C15		21	17.3 x 60mm Shank with Round Collar		24
14.7 hex 17.2 rnd x 60mm Shank 27mm Diameter Collar DX1C/DX2C		21	17.3 x 70mm Shank with no collar		24
14.7 hex 17.2 rnd x 60mm Shank 30mm Diameter Collar C17		21	RB90 Round Shank		25
14 x 60mm Hexagon Shank SGMS28		23	Jumbo 11X Shank		25
15 x 94mm Hexagon Shank TRELAWNEY TYPE		22	Stone Dressing Pads		26
10.9 hex 12.6 rnd x 45mm Shank 21mm Diameter Collar		23	Skutch Combs		26
25mm Hexagon Taper Shank E115		22	Concrete Cutter		26
14.7 hex 17.3 rnd x 60mm Shank with Oval Collar		23	Floor Scraping Tool		26
14.7 hex 17.3 rnd x 60mm Shank with Round Collar		23	Long Steels		27
14.7 hex 17.3 rnd x 60mm Shank with no Collar		23	Standall SVR™		29
17.3 rnd x 70mm Shank with Oval Collar		24	Guidance Notes		30























Shank 19mm Hexagon 50mm Long

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No. 32mm Dia Collar	Part No. 30mm Dia Collar
	Moil Point	–	250		0.8	912011	922011
	Moil Point	–	450		1.3	912014	922014
	Narrow Chisel	22	250		0.8	912211	922211
	Narrow Chisel	22	450		1.3	912214	922214
	Wide Chisel	50	250		0.9	912121	–
	Wide Chisel	50 Cranked	250		0.9	912122	–
	Wide Chisel	60	190		0.8	942141	–
	Wide Chisel	75	250		1.0	912151	–
	Bush Hammer Stem	–	Bush Hammer Stem		0.9	912161	–
For use with 914056 9 Point T C Pad & 914057 T C Pad							

Shank 19mm Hexagon 82mm Long

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No. 32mm Dia Collar	Part No. 30mm Dia Collar
	Moil Point	22	300		0.8	910101	–
	Moil Point	22	450		1.8	910104	–
	Narrow Chisel	22	300		0.8	910311	–
	Narrow Chisel	22	450		1.8	910314	–
	Wide Chisel	75	250		1.0	910150	–




















Shank 22mm Hexagon 82mm Long 41mm Dia Collar

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No. Point to Flat	Part No. Flat to Flat
	Moil Point		330		1.4	910021	–
	Moil Point		380		1.5	910023	–
	Moil Point	–	380		1.6	910023SVR*	–
	Moil Point	–	450		1.8	910024	–
	Moil Point		450		1.6	91004SVR*	–
	Moil Point		610		2.3	910026	–
	Narrow Chisel	22	330		1.4	910231	–
	Narrow Chisel	22	380		1.5	910233	918233
	Narrow Chisel	22	380		1.6	910233SVR	–
	Narrow Chisel	22	450		1.8	910234	918234*
	Narrow Chisel	22	450		1.8	910234SVR	–
	Narrow Chisel	22	610		2.3	910236	918236
	Wide Chisel	75	380		2.5	910420	918420
	Wide Chisel	75	450		2.8	910421	–
	Asphalt Cutter Curved Edge	125	380		3.2	910424	–
	Digging Chisel Curved Edge	75	380		3.4	910426	–
	Digging Chisel Straight Edge	75	380		3.4	910427*	918427*






Shank 22mm Hexagon 82mm Long 41mm Dia Collar

[illegible]












Shank 22mm Hexagon 108mm Long 41mm Dia Collar

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No. Point to Flat	Part No. Point to Flat
	Moil Point	–	350		1.4	933118	–
	Moil Point	–	450		1.8	933158	–
	Wide Chisel	45	240		1.2	933019	–
	Wide Chisel	45	340		1.4	933119	–
	Wide Chisel	45	460		1.8	933120	–
	Wide Chisel	75	380		2.6	933121	–
	Asphalt Cutter	125	350		3	933122	–
	Digging Chisel (Curved Edge)	75	280		2.7	933130	–
	Tie Tamper	100	550		4	933515	–
		100	460		4	933510	–
		100	380		4	933505	–
	Clay Spade	135	350		3.1	933125	–















Shank 22mm Hexagon 108mm Long 41mm Dia Collar

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No. Point to Flat	Part No. Point to Flat
	Frost Wedge	35	380		3.5	923123	–
	Wedge Hammer Internal Dia 42mm	55 o/d	200		1.3	933042	–
	Plug	34 Dia Hole	420	–	0.9	933181	–
	Feather (Pair)	34 Dia Hole	30mm Wide	–	0.9	933180	–
	Plug	29 Dia Hole	390	–	0.8	933081	–
	Feather (Pair)	29 Dia Hole	24mm wide	–	1.0	933080	–






















Shank 25mm Hexagon 108mm Long 41mm Dia Collar

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No. Point to Flat	Part No. Point to Flat
	Moil Point	–	380		2.1	910043	–
	Moil Point	–	450		2.5	910044	–
	Narrow Chisel	–	380		2.1	910253	918253
	Narrow Chisel	–	450		2.5	910254	918254
	Heavy Duty Burstter	–	380		2.2	910926*	–
	Wide Chisel	75	380		2.6	910430	918430
	Wide Chisel	75	450		2.9	910431	–















Shank 25mm Hexagon 108mm Long 41mm Dia Collar

	Description	Working Width mm	Upper Collar Length mm	Body	Weight Kg	Part No. Point to Flat	Part No. Point to Flat
	Asphalt Cutter	125	380		3.2	910434	918434
	Tarmac Cutter	115	300		3.1	910435	918435
	Digging Chisel (Curved Edge)	75	380		3.4	910436	918436
	Digging Spade	120	380		4	910636	918636
	Clay Spade	135	430		3.3	910664	918664
	Frost Wedge	35	380		4.3	920891	–
 See page 16 for Pads to suite	Stem (Small Taper)	–	300		–	910911	–








Shank 28mm Hexagon 160mm & 152mm Long 46mm Dia Collar

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No. 28x160	Part No. 28x152
	Moil Point	–	300		2.3	912061	–
	Moil Point	–	380		2.8	912063	910063
	Moil Point	–	380		3	912063SVR	–
	Moil Point	–	450		3.3	912064	910064
	Moil Point	–	450		3.5	912064SVR	–
	Narrow Chisel	–	300		2.3	912271	910271
	Narrow Chisel	–	380		2.8	912273	910273
	Narrow Chisel	–	380		3	912273SVR	–
	Narrow Chisel	–	450		3.3	912274	910274
	Narrow Chisel	–	450		3.3	912274SVR	–
	Heavy Duty Burstter	–	380		3.3	912927	910927
	Wide Chisel	75	380		3.3	912440	910440
	Asphalt Cutter	125	380		3.8	912444	910444
	Tarmac Cutter	115	300		3.8	912545	910545
	Tarmac Cutter	115	300		3.1	912545SVR	–

























Shank 28mm Hexagon 160mm & 152mm Long 46mm Dia Collar

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No. 28x160	Part No. 28x152
	Digging Chisel	75	380		4	912446	910446
	Digging Spade	120	380		4.9	912646	910646
	Clay Spade	135	380		4.9	912666	910666
	Frost Wedge	40	400		5	912892	–
	Tie Tamper	100	400		4.2	912341*	910341*
	Plug	–	660		4	912888*	–
	Feather Set	–	305		2.9	912908	–
	Feather Set	–	380		3.5	912907	–
	Feather Set	–	450		4	912909	–
	Note Plug & Feather Sets are designed to be used with 48mm diameter holes						
	Stem Large Taper	–	230		3.2	912901	910901

Shank 28mm Hexagon 160mm & 152mm Long 46mm Dia Collar

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No. 28x160	Part No. 28x152
	Pad (Large Taper)	125 dia	–	–	5	912904	–
	Pad (Large Taper)	180 dia	–	–	7.5	912906	–
	Pad (Large Taper)	150 square	–	–	8.3	912916	–
	Stem Small Taper	–	230		3.1	912920	910920
	Pad (Small Taper)	125 dia	–	–	5	–	912905
	Pad (Small Taper)	150 Square	–	–	8.3	–	912915
	Stem Large Taper	–	230		3.1	912920	910920
	Sheeting Board Driver	57 Gap	–	–	12.3	912880	–
	Sheeting Board Driver	76 Gap	–	–	15.5	912884	–










Shank 32mm Hexagon 160mm & 152mm Long 46mm Dia Collar

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No. 32x160	Part No. 32x152
	Moil Point	–	300		3	912081	910081
	Moil Point	–	350		3.3	–	910082
	Moil Point	–	380		3.5	912083	910083
	Moil Point	–	380		3.7	912083SVR	–
	Moil Point	–	450		4	912084	910084
	Moil Point	–	450		4.2	912084SVR	–
	Moil Point	–	600		4.4	912068	810086
	Narrow Chisel	–	300		3	912291	910291
	Narrow Chisel	–	350		3.3	–	910292
	Narrow Chisel	–	380		3.5	912293	910293
	Narrow Chisel	–	380		3.7	912293SVR	–
	Narrow Chisel	–	450		4	912294	910294
	Narrow Chisel	–	450		4.2	912294SVR	–
	Heavy Duty Burster	–	380		3.7	912928	910928
	Wide Chisel	75	380		4	912450	910450
	Asphalt Cutter	125	380		4	912454	910454
	Tarmac Cutter	115	300		3.8	912555	910555
	Tarmac Cutter	115	300		3.8	912555SUR	




Shank 32mm Hexagon 160mm & 152mm Long 46mm Dia Collar

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No. 32x160	Part No. 32x152
	Digging Chisel (Curved Edge)	75	380		4.2	912456	910456
	Digging Spade	120	380		5.3	912656	910656
	Clay Spade	135	380		5.4	912668	910668
	Frost Wedge	40	400		5.5	922894	–
	Rock Breaker	32-57	380		4.9	912898	910898
	Tie Tamper	100	400		4.2	912351	910351
	Tie Tamper	100	580		5	912352	–
	Plug	–	660		4	91288*	–
	Feather Set	–	305		2.9	912908	–
	Feather Set	–	380		3.5	912907	–
	Feather Set	–	450		4	912909	–
Note Plug & Feather Sets are designed to be used with 48mm diameter holes							





Shank 32mm Hexagon 160mm & 152mm Long 46mm Dia Collar

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No. 32x160	Part No. 32x152
	Stem Large Taper	–	230		3.2	912903	910903
	Pad (Large Taper)	125 dia	–	–	5	912904	–
	Pad (Large Taper)	180 dia	–	–	7.5	912906	–
	Pad (Large Taper)	150 square	–	–	8.3	912916	–
	Stem Small Taper	–	230		3.1	912922	910922
	Pad (Small Taper)	125 dia	–	–	7.5	912905	–
	Pad (Small Taper)	150 Square	–	–	8.3	912915	–
	Stem Large Taper	–	230		3.2	912903	910903
	Sheeting Board Driver	57 Gap	–	–	12.3	912880	–
	Sheeting Board Driver	76 Gap	–	–	15.5	912884	–





22mm x 70mm Round Shank 36mm dia Collar

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	330		1.3	914005	
	Narrow Chisel	–	330		1.3	914205*	





23mm x 50mm Round Shank 38mm dia Collar

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	330		1.4	914321	
	Narrow Chisel	–	330		1.4	914331	











23mm x 70mm Round Shank 36mm dia Collar

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	330		1.4	914026	
	Moil Point	–	430		1.7	914028	
	Narrow Chisel	–	330		1.4	914226	
	Narrow Chisel	–	430		1.7	914228	





25mm x 75mm Round Shank 41mm dia Collar

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	330		1.6	914025	
	Moil Point	–	350		1.7	914315	
	Moil Point	–	400		1.8	914035	
	Moil Point	–	450		2	915044	
	Narrow Chisel	–	330		1.6	914225	
	Narrow Chisel	–	350		1.7	914515	
	Narrow Chisel	–	400		1.8	914235	
	Narrow Chisel	–	450		2	915254	









26mm x 70mm Round Shank 40mm dia Collar CP9F

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	330		1.4	914097	
	Narrow Chisel	–	330		1.4	914098*	
	Digging Chisel	75	450		3.1	914103*	
	Clay Spade	135	380		–	914102*	
	Digging Spade	120	400		3.2	914144*	










26mm x 80mm Round Shank 40mm dia Collar

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	300		1.3	914509*	
	Narrow Chisel	–	300		1.3	914520*	





19mm x 82mm Square Shank 36mm dis Collar

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	330		1.4	914009	
	Narrow Chisel	–	330		1.4	914029	
	Clay Spade	100	380		2.7	914609	
	Clay Spade	125	430		3.3	914058	





19mm x 95mm Round Shank CP9

	Description	Working Width mm	Overall Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	250		0.7	914049	–
	Moil Point	–	380		1	914549	–
	Narrow Chisel	–	250		0.7	914249	–
	Narrow Chisel	–	380		1	914649	–
	Wide Chisel	75	250		1.2	914449	–
	Stem For Stone Dressing Pads	–	250		0.7	914104	–





15mm x 90mm Round Shank CP9F

	Description	Working Width mm	Overall Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	300		0.6	914050	
	Narrow Chisel	–	300		0.6	944250	





17mm x 12mm Round Shank 30mm Collar ML 33

	Description	Working Width mm	Overall Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	330		1.4	914585	
	Moil Point Fluted	–	330		1.4	914586	








17mm x 14mm Round Shank 34mm Collar M37B

	Description	Working Width mm	Overall Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	330		1.4	914575	
	Moil Point Fluted	–	330		1.4	914576	







Hausherr Shank 35mm Collar

	Description	Working Width mm	Overall Length mm	Body	Weight Kg	Order Number	
	Moil Point	–	350		1.2	914565	
	Narrow Chisel	–	350		1.2	914572	









12.4 Hex, 14.8 Round x 55mm Shank 27mm dia Collar C15

	Description	Working Width mm	Overall Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	250		0.4	914146*	
	Moil Point	–	415		0.8	914157*	
	Narrow Chisel	–	250		0.4	914166*	
	Narrow Chisel	–	415		0.8	914255*	
	Wide Chisel	50	230		0.6	914358*	





14.7 Hex, 17.2 Round x 60mm Shank 27mm dia Collar DX1C/DX2C

	Description	Working Width mm	Overall Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	230		0.4	914041	
	Narrow Chisel	–	230		0.4	914042	
	Wide Chisel	50	230		0.5	914043*	










14.7 Hex, 17.2 Round x 60mm Shank 30mm dia Collar C17

	Description	Working Width mm	Overall Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	270		0.5	914151*	
	Moil Point	–	330		0.7	914152*	
	Narrow Chisel	–	270		0.5	914171*	
	Narrow Chisel	–	330		0.7	914172*	
	Wide Chisel	60	270		0.8	914377*	










25mm Hex Taper Shank E115

	Description	Working Width mm	Overall Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	250		0.6	914404	
	Narrow Chisel	–	250		0.6	914405*	





15 Hex x 94mm Trelawney Type Shank

	Description	Working Width mm	Overall Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	205		0.5	914511*	
	Narrow Chisel	–	205		0.5	914521*	
	Wide Chisel	50	205		1.2	914531*	
	Wide Chisel	100	250		1.3	914591	
	Scraper Tool	200	250		–	914651	
	Replacement Blades	200	–		–	914651B	









14 x 60mm (SGMS28) Type Shank

	Description	Working Width mm	Overall Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	270		0.5	914500*	
	Narrow Chisel	–	205		0.5	914502*	
	Wide Chisel	40	205		1.2	914505*	
	Cranked Chisel	65	200		0.8	914506*	
	Cranked Chisel	80	240		0.9	914512*	











10.9 Hex x 12.6 Rnd x 45mm Type Shank

	Description	Working Width mm	Overall Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	200		0.6	914523*	
	Narrow Chisel	–	200		0.6	914524*	





















14.7 Hex 17.3 Rnd x 60mm Shank

	Description	Working Width mm	Overall Length mm	Body	Part No. Oval Collar	Part No. Round Collar	Part No. No Collar
	Moil Point	–	230		914030	914007	914037*
	Moil Point	–	300		914040	914017	914047*
	Moil Point	–	450		914060	914617	914067*
	Narrow Chisel	–	230		914230	914207	914237*
	Narrow Chisel	–	300		914240	914217	914247*
	Narrow Chisel	–	450		914190	914717	914257*



14.7 Hex 17.3 Rnd x 60mm Shank

	Description	Working Width mm	Overall Length mm	Body	Part No. Oval Collar	Part No. Round Collar	Part No. No Collar
	Wide Chisel	38	230		914330	914307*	914337*
	Wide Chisel	38	300		914340*	914317*	914347*
	Wide Chisel	50	230		914430*	914407*	914437*
	Wide Chisel	50	300		914440*	914417*	914447*
	Scaling Chisel Straight	75	230		914830	914557	914837*
	Scaling Chisel Straight	75	300		914840*	914567*	914847*
	Bushing Tool	–	240		914930*	914907*	–









17.3 Rnd x 60mm Shank

	Description	Working Width mm	Overall Length mm	Body	Part No. Oval Collar	Part No. Round Collar	Part No. No Collar
	Moil Point	–	230		914036	914008	914038*
	Moil Point	–	300		914046	914018	914048*
	Moil Point	–	450		914556	914588	914618*
	Narrow Chisel	–	230		914236	914208	914238*
	Narrow Chisel	–	300		914246	914218	914248*
	Narrow Chisel	–	450		914606	914598	914718*
	Wide Chisel	38	230		914336	914308*	914338*
	Wide Chisel	38	300		914346	914318*	914348*
	Wide Chisel	50	230		914436	914408*	914438*
	Wide Chisel	50	300		914446	914418*	914448*
	Scaling Chisel Cranked	75	230		914536*	914508*	914538*
	Scaling Chisel Cranked	75	300		914546*	914518*	914548*
	Scaling Chisel Straight	75	230		914836	914805	914838
	Bushing Tool	–	240		914936*	914908*	–





RB 90 Type Shank

	Description	Working Width mm	Overall Length mm	Body	Weight Kg	Part No.
	Narrow Chisel For use on Metal S1 spec	–	280		1.2	934590*













Jumbo 11X Type Shank

	Description	Working Width mm	Overall Length mm	Body	Weight Kg	Part No.	
	Moil Point	–	255		1.2	914555*	
	Moil Point	–	300		?	100310	
	Narrow Chisel For use with concrete C70 W2 Spec	–	225		1.2	914595	
			300		1.4	924595	
	Rivel Buster Metal Work S1 Spec	–	225		1.2	100290	
			300		1.4	100291	







Accessories

	Description	Type	Part No.
	Stone Dressing Pads	9 Point Pad-All Steel	914106
	To Suit Stone Dressing Stems	16 Point Pad-T C Conical inserts (38mm Sq 100550)	914107
	Scutch Combs To suit all combholders	38mm Wide	914485
	Scutch Combs To suit all combholders	50mm Wide	914488
	Concrete Cutter To suit all combholders	38mm Wide	914480
	Concrete Cutter To suit all combholders	50mm Wide	914490
	Floor Cleaning Tools To suit all floor cleaning tool stems	Complete with 2mm thick blade	100134
		Replacement scraper blade 2mm thick	100156
		Replacement nut & bolt set	100134 Set

Shank 22mm Hexagon 82mm Long 41mm Dia Collar

	Description	Under Collar Length mm	Body	Part No.
	Moil Point	915		910028
	Moil Point	1000		200034
	Moil Point	1220		910030
	Moil Point	1525		910032
	Moil Point	1830		910033
	Narrow Chisel	915		910238
	Narrow Chisel	1000		200035
	Narrow Chisel	1220		910240
	Narrow Chisel	1525		910242
	Narrow Chisel	1830		919243













Shank 25mm Hexagon 108mm Long 41mm Dia Collar

	Description	Under Collar Length mm	Body	Part No.
	Moil Point	915		910048
	Moil Point	1220		910050
	Narrow Chisel	915		90258
	Narrow Chisel	1220		910260









Shank 28mm Hexagon 160mm Long 46mm Dia Collar

	Description	Under Collar Length mm	Body	Part No.
	Moil Point	1000		200117
	Narrow Chisel	1000		200113

Shank 32mm Hexagon 160mm & 152mm Long 46mm Dia Collar

	Description	Under Collar Length mm	Body	Part No.
	Moil Point	915		912088
	Moil Point	1000		200118
	Moil Point	1220		912090
	Moil Point	1525		912092
	Moil Point	1830		912093
	Narrow Chisel	915		912298
	Narrow Chisel	1000		200119
	Narrow Chisel	1220		912300
	Narrow Chisel	1525		912302
	Narrow Chisel	1830		912303

25mm x 75mm round Shank 41mm dia Collar

	Description	Under Collar Length mm	Body	Part No.
	Moil Point	1000		915549
	Moil Point	1500		915055
	Moil Point	2000		916060
	Narrow Chisel	1000		916270
	Narrow Chisel	1500		914261
	Narrow Chisel	2000		915264



CORMAC, INC Construction Equipment • 6591 NW 82 Avenue, Miami, FL 33166
Phones: 305-477-5494 - 305-477-6922 • Fax: 305-477-4899 • info@cormacequipment.com

www.cormacequipment.com